YANMAR

PARTS CATALOG

PREVIEW - YOUFIXTHIS.COM

0CK10-M40502EN

Last update Apr., 2015

Download full manual at youfixthis.com

Contents

Fig. No. Fig. Name

LABEL & ACCESSORY

1. LABEL(JP)
2. LABEL(EX)
3. SAFETY LABEL(JP)
4. SAEFTY LABEL(EX)
5. ACCESSORY

ENGINE RELATED

6. SUC.PIPE & EXH.PIPE
7. ACCELERATOR
8. ENGINE MOUNT
9. RADIATOR & MOUNT
10. FUEL TANK
11. FUEL PIPE

ELECTRICAL PARTS

12. BATTERY
13. ELECTRIC PART(WIRING)
14. ELECTRIC PART(EQUIPMENT)

TRAVELING

15. SPROCKET & ROLLER
16. CRAWLER,IDLER & ADJUST

Fig. No. Fig. Name

CONTROL EQUIPMENT

17. CONTROL EQUIPMENT(LINK STAND)
18. CONTROL EQUIPMENT(STOPPER)
19. CONTROL EQUIPMENT(BOOM & BRACKET)
20. CONTROL EQUIPMENT(ARM & TURNING)
21. CONTROL EQUIPMENT(TRAVEL & BLADE)
22. CONTROL EQUIPMENT(SWING)
23. CONTROL EQUIPMENT(P.T.O. & LOW-HIGH PEDAL)
24. CONTROL EQUIPMENT(VARIABLE LEG OPERATE)

FRAME

25. TRACK FRAME(FIXED LEG)
26. TRACK FRAME(LINK VARIABLE LEG)
27. TRACK FRAME(SLIDE VARIABLE LEG)
28. TURNING FRAME

AROUND SEAT

29. STEP & TURNING LOCK
30. SEAT & MOUNT

BONNET

31. BONNET

HYDRAULIC OIL EQUIPMENT

32. HYD.OIL PUMP & JOINT

PREVIEW - YOUFIXTHIS.COM

Download full manual at youfixthis.com

Parts No. Index

Parts No.	Fig. No.	Ref. No.
119247-77100	14	16
119515-12520	6	8
119655-12570	6	9
119808-12540	6	10
121450-44531	9	23
121468-44510	9	21
121468-44540	9	24
121470-44540	1	35
121470-44581	9	26
124450-44560	9	25
124766-59050	9	39
	11	7
129052-55630	11	6
172068-28490	23	18
172110-89130-1	77	20
		23
		26
172112-16650	12	4
172112-76300-3	71	7
172112-76300-5	71	7 -1
172112-77580	38	17 B
		32 B
	67	6
172112-77660	63	14
	64	14
	67	29
172116-46630	31	16
172122-17190	26	1
	27	12
	73	50
172122-46590	19	18
	20	14
172122-47250	21	17
172122-79890	69	37
	70	37
172122-79920	13	26
172122-79930	13	1
	14	19
172123-76121	58	3
	59	3
	60	3
	61	3
	62	3
	69	3
	70	3
172124-46200	21	9
172125-03951	2	37
172126-73400	40	40
172131-73360	41	14
172131-73381	41	15

Parts No.	Fig. No.	Ref. No.
172131-73410	41	16
172131-73420	41	17
172131-73431	41	31
172131-73440	41	18
172131-73450	41	19
172131-73460	41	20
172131-73470	41	21
172131-73480	41	22
172131-73490	41	23
172131-73501	41	25
		32
172131-73510	41	26
		33
172131-73520	41	27
		34
172131-73530	41	28
172131-73540	41	29
172131-73551	41	24
172131-73760	41	35
172131-73931	41	30
172137-03300	1	27
	2	15
172137-14630	11	4
172137-16560	9	35
	11	10
	13	13
		21
172137-37360	15	6
172137-74520	46	19
		35
	47	14
		42
		58
	48	12
		27
	49	35
		51
	50	14
		42
		58
	51	12
		27
	52	15
		35
		52
	53	9
		35
		50
	54	12
		27


Parts No.	Fig. No.	Ref. No.
172137-76100	58	1
	59	1
	60	1
	61	1
	62	1
	69	1
	70	1
172137-78130	60	8
172137-86240	77	16
		19
		22
		25
172141-03202	1	14
	3	3
172141-17150	14	11
172141-41360	17	3
	24	2
172141-41370	17	4
		5
	21	2
		26
172141-42750	19	1
	20	1
172141-64370	30	3
172141-72580	36	12
172141-76220	63	9
172141-76940	71	2
172141-76990	65	4
	71	3
172141-77800	72	2
172141-84630	73	36
172142-03302	1	28
	3	10
172142-73800	43	11
	44	12
	45	3
172142-76100	57	1
172142-76181	57	2
172145-76180	65	1
172146-12150	7	4
172147-77800	72	3
172148-73870	43	13
	44	14
	45	5
172149-17120	14	7
172149-17130	14	9
172149-17140	14	8
		10
172151-45010	19	2
	20	2

Parts No.	Fig. No.	Ref. No.
172155-37310	15	5
172155-57610	28	19
172155-81390	26	14
	73	3
		20
	74	1
	75	1
	76	6
	77	2
	78	1
		11
172156-17401	14	12
172156-17420	14	13
172156-17430-1	14	14
172156-17430-5	14	14 -1
172156-61320	7	7
172156-64420	30	4
172156-65690	31	25
172156-72410	35	8
	37	9
		16
	73	2
172156-72770	33	6
		8
	34	4
		6
	35	3
172156-73700	56	1
172156-73710	56	3
172156-78490	69	12
	70	12
172156-78510	69	18
	70	18
172156-78520	69	13
	70	13
172156-78540	69	14
	70	14
172156-81400	73	4
		8
		12
		21
		25
	74	2
		6
	75	2
		6
	76	7
		11
	77	3
	78	2

Download full manual at youfixthis.com

PREVIEW - YOUFIXTHIS.COM

Fig.3. SAFETY LABEL(JP)



(A)=SV08-1(JP)
(B)=SV08-1(EX)
(C)=
(D)=
(E)=
(F)=

No.	Lev.	Parts No.	Description	Q'ty (A)	(B)	(C)	(D)	(E)	(F)	I	R
1	1	172444-03170	LABEL	1							
2	1	172444-03181	LABEL	2							
3	1	172141-03202	LABEL,CAUTION	1							
4	1	172446-03200	LABEL,LIFTING	1							
5	1	172450-03200	LABEL,BATTERY	1							
6	1	172446-03210	LABEL,BURN	1							
7	1	172446-03220	LABEL,BELT	1							
8	1	172444-03240	LABEL	1							
9	1	172446-03250	LABEL,WARNING	1							
10	1	172142-03302	LABEL,CAUTION	1							
11	1	172964-03370	LABEL	1							
12	1	172964-03481	TAG ASSY, CAUTION	1							
13	1	172164-03510	LABEL,LOADING	1							
14	1	172164-03540	LABEL	1							
15	1	172519-04180	LABEL,WARNING	1							
16	1	172446-03270	LABEL	1							1
17	1	172446-03150	LABEL	1							

Remarks
(1)LINK VARIABLE LEG SPEC.


N:Old $\overset{\text{Yes}}{\underset{\text{No}}{\rightleftarrows}}$ New, Q:Old $\overset{\text{No}}{\underset{\text{Yes}}{\rightleftarrows}}$ New, R:Old $\overset{\text{Yes}}{\underset{\text{Yes}}{\rightleftarrows}}$ New, S:Old $\overset{\text{No}}{\underset{\text{No}}{\rightleftarrows}}$ New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change

Copyright (C) YANMAR CO., LTD. All RightsReserved.

PREVIEW - YOUFIXTHIS.COM

Download full manual at youfixthis.com

Fig.1. LABEL(JP)



(A)=SV08-1(JP)
(B)=SV08-1(EX)
(C)=
(D)=
(E)=
(F)=

No.	Lev.	Parts No.	Description	Q'ty (A)	(B)	(C)	(D)	(E)	(F)	I	R
1	1	772A29-03100	LABEL SET	1							
2	2	172A29-03110	LABEL,SPECIFICATION	1							
3	2	172A29-03120	LABEL,OIL & WATER	1							
4	2	172446-03130	LABEL	1							
5	2	172A20-03140	LABEL,OPERATION	1							
6	2	172446-03150	LABEL	1							
7	2	172446-03160	LABEL	1							
8	2	172157-03170	LABEL, KEY SWITCH	1							
9	2	172444-03170	LABEL	1							
10	2	172446-03170	LABEL	1							
11	2	172444-03181	LABEL	2							
12	2	172A29-03180	LABEL,S.STRIPE L	1							
13	2	172A29-03190	LABEL,S.STRIPE R	1							
14	2	172141-03202	LABEL,CAUTION	1							
15	2	172186-03200	LABEL,BRAND	1							
15-1	2	172A55-03310	LABEL, BRAND 450 (A=M/#11572)	1						S	
16	2	172446-03200	LABEL,LIFTING	1							
17	2	172450-03200	LABEL,BATTERY	1							
18	2	172446-03210	LABEL,BURN	1							
19	2	172446-03220	LABEL,BELT	1							
20	2	172447-03220	LABEL,GREASE	1							
21	2	172480-03201	LABEL,FUSE	1							
22	2	172444-03240	LABEL	1							
23	2	172183-03250	LABEL,FUEL	1							
24	2	172446-03250	LABEL,WARNING	1							
25	2	172446-03260	LABEL,GREESE FEED	1							1
26	2	172183-03280	LABEL,LOCK	1							
27	2	172137-03300	LABEL, TURNING LOCK	1							
28	2	172142-03302	LABEL,CAUTION	1							
29	2	172964-03370	LABEL	1							
30	2	172964-03481	TAG ASSY, CAUTION	1							
31	2	172164-03510	LABEL,LOADING	1							
32	2	172437-03511	LABEL, HOOK US	1							
33	2	172164-03540	LABEL	1							
34	2	172519-04180	LABEL,WARNING	1							
35	2	121470-44540	LABEL, SUB-TANK	1							
36	2	172446-03240	LABEL	1							1
37	2	172446-03270	LABEL	1							1
38	2	172480-03130	LABEL,GREASING	1							2
39	2	172448-03170	LABEL,WARNING V.LEG	1							3
40	2	172448-03180	LABEL,W/S OPERATION	1							3
41	2	183140-07581	LABEL (A=M/#13121)	1						W	

Remarks
(1)LINK VARIABLE LEG SPEC.
(2)FIXED LEG,SLIDE VARIABLE LEG SPEC.
(3)SLIDE VARIABLE LEG SPEC.

N:Old ⇔ New, Q:Old ⇔ New, R:Old ⇔ New, S:Old ⇔ New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change


Copyright (C) YANMAR CO., LTD. All RightsReserved.

PREVIEW - YOUFIXTHIS.COM

Download full manual at youfixthis.com

Fig.6. SUC.PIPE & EXH.PIPE

(A)=SV08-1(JP)
(B)=SV08-1(EX)
(C)=
(D)=
(E)=
(F)=




No.	Lev.	Parts No.	Description	Q'ty (A)	(B)	(C)	(D)	(E)	(F)	I	R
1	1	172498-11330	GASKET	1	1						
2	1	172A20-11310	SILENCER ASSY	1	1						
3	1	26013-100252	BOLT, M10X 25	2	2						
4	1	26051-080002	NUT, M8	4	4						
5	1	172A20-11510	HOSE A, AIR CREANER	1	1						
6	1	172446-11510	HOSE-B,AIR CLEANER	1	1						
7	1	172A20-11550	CLEANER ASSY, AIR	1	1						
8	2	119515-12520	ELEMENT	1	1						
9	2	119655-12570	COVER ASSY	1	1						
10	2	119808-12540	VALVE, UNLOADER	1	1						
12	1	23000-054000	CLAMP, 54	3	3						
13	1	26013-080162	BOLT, M8X 16	2	2						

N:Old ⇔ New (Yes/No), Q:Old ⇔ New (No/Yes), R:Old ⇔ New (Yes/Yes), S:Old ⇔ New (No/No), W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change

Copyright (C) YANMAR CO., LTD. All RightsReserved.

PREVIEW YOUFIXTHIS.COM
Download full manual at youfixthis.com

Fig.13. ELECTRIC PART(WIRING)



(A)=SV08-1(JP) (D)=
(B)=SV08-1(EX) (E)=
(C)= (F)=

No.	Lev.	Parts No.	Description	Q'ty (A)	(B)	(C)	(D)	(E)	(F)	I	R
1	1	172122-79930	CLAMP, HOSE	1	1						
2	1	172A29-16500	WIRE HARNESS ASSY,A	1	1						
2-1	1	172A29-16501	WIRE HARNESS ASSY,A	1	1					S	1
	(A=M/#13947)	(B=M/#13947)									
5	2	172183-16590	COVER	1	1						
6	2	172648-16600	DIODE	1	1						
7	2	172447-17140	HOUSING	1	1						
8	2	172447-17150	FUSE 40A	1	1						
9	2	29420-100000	FUSE, B 10A	3	3						
9A	2	172498-16520	HOUSING	1	1					W	
	(A=M/#13947)	(B=M/#13947)									
10	1	172446-16510	HARNESS,STAND	1	1						
10-1	1	172446-16511	HARNESS, STAND	1	1					N	
	(A=M/#10905)	(B=M/#10905)									
11	1	172186-16541	HARNESS, WORK LAMP	1	1						
12	1	172446-16550	CLAMP	1	1						
13	1	172137-16560	BAND	1	1						
14	1	172446-16560	CLAMP	1	1						
15	1	1A1380-55310	CLAMP, WIRE	2	2						
16	1	194940-61790	SCREW, TAPPING M5X16	1	1						
17	1	22137-100000	WASHER, 10	2	2						
17-1	1	22137-100000	WASHER, 10	1	1					K	
	(A=FROM 1ST)	(B=FROM 1ST)									
18	1	22217-100000	WASHER, SPRING 10	2	2						
18-1	1	22217-100000	WASHER, SPRING 10	1	1					K	
	(A=FROM 1ST)	(B=FROM 1ST)									
19	1	22857-400120	SCREW, 4X12	1	1						
20	1	26116-100162	BOLT, M10X 16 PLATED	2	2						
20-1	1	26116-100162	BOLT, M10X 16 PLATED	1	1					K	
	(A=FROM 1ST)	(B=FROM 1ST)									
21	1	172137-16560	BAND	1	1						
22	1	1A1380-55310	CLAMP, WIRE	1	1						
23	1	1A1380-55310	CLAMP, WIRE	1	1						
24	1	1A1380-55310	CLAMP, WIRE	1	1						
25	1	933171-15801	CORD, ENGINE EARTH	1	1						
26	1	172122-79920	CLIP, HOSE	1	1						

Remarks
(1)INTERCHANGEABLE BY SIMULTANEOUS REPLACEMENT WITH FIG.12 REF NO. 2-1.


N:Old $\overset{\text{Yes}}{\underset{\text{No}}{\leftrightarrows}}$ New, Q:Old $\overset{\text{No}}{\underset{\text{Yes}}{\leftrightarrows}}$ New, R:Old $\overset{\text{Yes}}{\underset{\text{Yes}}{\leftrightarrows}}$ New, S:Old $\overset{\text{No}}{\underset{\text{No}}{\leftrightarrows}}$ New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change

Copyright (C) YANMAR CO., LTD. All RightsReserved.

Download full manual at youfixthis.com

PREVIEW - YOUFIXTHIS.COM

Fig.26. TRACK FRAME(LINK VARIABLE LEG)



(A)=SV08-1(JP) (D)=
(B)=SV08-1(EX) (E)=
(C)= (F)=

No.	Lev.	Parts No.	Description	Q'ty (A)	(B)	(C)	(D)	(E)	(F)	I	R
1	1	172122-17190	CLIP, TREE	2	2						
2	1	172446-50500	FRAME,CENTER(GREEN88	1	1						
2-1	1	172446-50500-1	FRAME,CENTER(GRAY49)	1	1					S	
	(A=M/#11572)	(B=M/#11572)									
3	1	172446-50701	FRAME,CRAWLER L (88)	1	1						
3-1	1	172446-50701-1	FRAME,CRAWLER L (49)	1	1					S	
	(A=M/#11572)	(B=M/#11572)									
4	1	172446-50711	FRAME,CRAWLER R (88)	1	1						
4-1	1	172446-50711-1	FRAME,CRAWLER R (49)	1	1					S	
	(A=M/#11572)	(B=M/#11572)									
5	1	172446-50900	BRACKET L,CYL. (88)	1	1						
5-1	1	172446-50900-1	BRACKET L,CYL. (49)	1	1					S	
	(A=M/#11572)	(B=M/#11572)									
6	1	172446-50910	BRACKET R,CYL. (88)	1	1						
6-1	1	172446-50910-1	BRACKET R,CYL. (49)	1	1					S	
	(A=M/#11572)	(B=M/#11572)									
7	1	172446-50960	LINK A (GREEN:88)	4	4						
7-1	1	172446-50960-1	LINK A (GRAY:49)	4	4					S	
	(A=M/#11572)	(B=M/#11572)									
8	1	172446-50970	LINK B (GREEN:88)	4	4						
8-1	1	172446-50970-1	LINK B (GRAY:49)	4	4					S	
	(A=M/#11572)	(B=M/#11572)									
9	1	172446-51001	PIN, 25-197	2	2						
10	1	172446-51041	PIN, 25X80	6	6						
11	1	172446-51051	PIN, 25X68	8	8						
12	1	172446-51060	PIN 25-100	2	2						
13	1	172446-51081	PLATE,LOCK(GREEN:88)	8	8						
13-1	1	172446-51081-1	PLATE,LOCK (GRAY:49)	8	8					S	
	(A=M/#11572)	(B=M/#11572)									
14	1	172155-81390	COTTER PIN 6X 35	2	2						
15	1	24761-020000	NIPPLE, GREASE PT1/8	12	12						
16	1	24761-040000	NIPPLE, GREASE B	4	4						
17	1	26013-100202	BOLT, M10X 20	16	16						
18	1	26013-100252	BOLT, M10X 25	8	8						
19	1	172446-61500	COVER, MOTOR	2	2						
19-1	1	172446-61500-1	COVER, MOTOR	2	2					S	
	(A=M/#11572)	(B=M/#11572)									
20	1	172446-61531	COVER	1	1						
20-1	1	172446-61531-1	COVER	1	1					S	
	(A=M/#11572)	(B=M/#11572)									
21	1	22217-100000	WASHER, SPRING 10	6	6						
22	1	22217-100000	WASHER, SPRING 10	4	4						
23	1	26116-100202	BOLT, M10X 20 PLATED	6	6						
24	1	26116-100202	BOLT, M10X 20 PLATED	4	4						

N:Old $\overset{\text{Yes}}{\underset{\text{No}}{\rightleftarrows}}$ New, Q:Old $\overset{\text{No}}{\underset{\text{Yes}}{\rightleftarrows}}$ New, R:Old $\overset{\text{Yes}}{\underset{\text{Yes}}{\rightleftarrows}}$ New, S:Old $\overset{\text{No}}{\underset{\text{No}}{\rightleftarrows}}$ New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change


Copyright (C) YANMAR CO., LTD. All RightsReserved.

PREVIEW - YOUFIXTHIS.COM

Download full manual at youfixthis.com

Fig.30. SEAT & MOUNT

(A)=SV08-1(JP) (D)=
(B)=SV08-1(EX) (E)=
(C)= (F)=




No.	Lev.	Parts No.	Description	Q'ty (A)	(B)	(C)	(D)	(E)	(F)	I	R
1	1	172649-64101	SEAT ASSY, OPERATOR	1	1						
1-1	1	172A54-64100	SEAT ASSY, OPERATOR	1	1					N	
	(A=M/#11979)		(B=M/#11979)								
1-2	1	172A64-64010	SEAT ASSY	1	1					N	
	(A=MZZZZZ)		(B=MZZZZZ)								
1A	2	172A54-64110	COVER	1	1					W	
	(A=M/#11979)		(B=M/#11979)								
1A-1	2	172A54-64110	COVER	1	1					Z	
	(A=MZZZZZ)		(B=MZZZZZ)								
1B	2	172A54-64120	SCREW, M5X16	4	4					W	
	(A=M/#11979)		(B=M/#11979)								
1B-1	2	172A54-64120	SCREW, M5X16	4	4					Z	
	(A=MZZZZZ)		(B=MZZZZZ)								
1C	2	172A64-64020	STAY, SEAT	1	1					W	
	(A=MZZZZZ)		(B=MZZZZZ)								
1D	2	172A64-64030	CASE, LETTER	1	1					W	
	(A=MZZZZZ)		(B=MZZZZZ)								
1E	2	172A64-64050	SCREW, M6.0X16	4	4					W	
	(A=MZZZZZ)		(B=MZZZZZ)								
1F	2	26013-080202	BOLT, M8X 20	2	2					W	
	(A=MZZZZZ)		(B=MZZZZZ)								
2	1	172446-64200	BRACKET,SEAT(GREEN97	1	1						
3	1	172141-64370	CUSHION, SEAT	2	2						
4	1	172156-64420	PIN	1	1						
5	1	22372-080000	PIN, SNAP 8	2	2						
6	1	26013-080162	BOLT, M8X 16	2	2						

N:Old $\overset{\text{Yes}}{\underset{\text{No}}{\rightleftarrows}}$ New, Q:Old $\overset{\text{No}}{\underset{\text{Yes}}{\rightleftarrows}}$ New, R:Old $\overset{\text{Yes}}{\underset{\text{Yes}}{\rightleftarrows}}$ New, S:Old $\overset{\text{No}}{\underset{\text{No}}{\rightleftarrows}}$ New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change

Copyright (C) YANMAR CO., LTD. All RightsReserved.

PREVIEW - YOUFIXTHIS.COM
Download full manual at youfixthis.com

Fig.46. CONTROL VALVE(FIXED LEG:1/3)



(A)=SV08-1(JP)
(B)=SV08-1(EX)
(C)=
(D)=
(E)=
(F)=

No.	Lev.	Parts No.	Description	Q'ty (A)	(B)	(C)	(D)	(E)	(F)	I	R
1	1	172A29-74120	CONTROL VALVE	1	1						
2	2	172157-70710	O-RING	3	3						
3	2	172446-74120	SECTION ASSY	1	1						
4	3	172157-70720	PLUG PF3/8	1	1						
5	3	172447-74250	SECTION	1	1						
6	3	172183-74350	PLUG PF1/4	1	1						
7	3	24315-000110	O-RING, 1BP11.0	1	1						
8	3	24315-000140	O-RING, 1BP14.0	1	1						
9	2	172446-74130	SECTION ASSY, SWING	1	1						
10	3	172157-70630	BAC UP RING	1	1						
11	3	172157-70640	PLATE, O-RING	1	1						
12	3	172157-70690	SPRING, VALVE	1	1						
13	3	172157-70700	STAY, VALVE	1	1						
14	3	172157-70720	PLUG PF3/8	1	1						
15	3	172157-70820	CAP, SPRING	1	1						
16	3	172446-74410	SECTION, SWING	1	1						
18	4	172446-74260	SPOOL ASSY, SWING	1	1						
19	3	172137-74520	VALVE, CHECK	1	1						
20	3	24311-240100	O-RING, 1AP10A	1	1						
21	3	24315-000110	O-RING, 1BP11.0	1	1						
22	3	24315-000140	O-RING, 1BP14.0	1	1						
23	3	26450-050452	BOLT, M5X 45	2	2						
24	3	26557-050102	SCREW, M5X10	2	2						
25	2	172446-74140	SECTION ASSY, BOOM	1	1						
26	3	172157-70630	BAC UP RING	1	1						
27	3	172157-70640	PLATE, O-RING	1	1						
28	3	172157-70690	SPRING, VALVE	1	1						
29	3	172157-70700	STAY, VALVE	1	1						
30	3	172157-70720	PLUG PF3/8	1	1						
31	3	172157-70820	CAP, SPRING	1	1						
32	3	172446-74420	SECTION, BOOM	1	1						
34	4	172446-74280	SPOOL ASSY, BOOM	1	1						
35	3	172137-74520	VALVE, CHECK	1	1						
36	3	24311-240100	O-RING, 1AP10A	1	1						
37	3	24315-000110	O-RING, 1BP11.0	1	1						
38	3	24315-000140	O-RING, 1BP14.0	1	1						
39	3	26450-050452	BOLT, M5X 45	2	2						
40	3	26557-050102	SCREW, M5X10	2	2						
41	2	172446-74230	VALVE ASSY, RELIEF 2	1	1						
42	2	172498-74430	ANTI-CAVITATION ASSY	1	1						
43	2	24315-000100	O-RING, 1BP10.0	6	6						
44	2	172A29-74300	MAIN RELIEF VALVE	1	1						
45	2	172186-74800	BOLT	3	3						
46	2	26716-080002	NUT, M8	6	6						
47	1	26013-080162	BOLT, M8X 16	3	3						


N:Old ◄Yes/No► New, Q:Old ◄No/Yes► New, R:Old ◄Yes/Yes► New, S:Old ◄No/No► New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change

Copyright (C) YANMAR CO., LTD. All RightsReserved.

PREVIEW - YOUFIXTHIS.COM

Download full manual at youfixthis.com

Fig.73. BOOM & BOOM BRACKET



(A)=SV08-1(JP) (D)=
(B)=SV08-1(EX) (E)=
(C)= (F)=

No.	Lev.	Parts No.	Description	Q'ty (A)	(B)	(C)	(D)	(E)	(F)	I	R
1	1	172446-81100	BOOM (YELLOW:87)	1	1						
1-1	1	172446-81090	BOOM ASSY(YELLOW:87)	1	1					N	
	(A=M/#11828)		(B=M/#11828)								
1-2	1	172446-81090-1	BOOM ASSY(YELLOW:2J)	1	1					S	
	(A=M/#13347)		(B=M/#13347)								
2	2	172156-72410	BUSH, PIN 25 35 A	2	2						
3	1	172155-81390	COTTER PIN 6X 35	3	3						
4	1	172156-81400	SHIM ASSY	1	1						
8	1	172156-81400	SHIM ASSY	1	1						
12	1	172156-81400	SHIM ASSY	1	1						
16	1	172A29-81400	PIN 25X106	1	1						
17	1	172A29-81400	PIN 25X106	1	1						
18	1	172498-81320	PIN 25X124 CMP	1	1						
19	1	24761-050000	NIPPLE, GREASE C	1	1						
20	1	172155-81390	COTTER PIN 6X 35	3	3						
21	1	172156-81400	SHIM ASSY	1	1						
25	1	172156-81400	SHIM ASSY	1	1						
29	1	172446-82300	BRACKET,BOOM (87)	1	1						
29-1	1	172446-82300-1	BRACKET,BOOM (2J)	1	1					S	
	(A=M/#13347)		(B=M/#13347)								
30	1	172157-82340	BOLT 12X 95	1	1						
31	1	172A29-82350	PIN 35X233	1	1						
32	1	172A29-82370	PIN 30X 67	1	1						
33	1	172A29-82400	PIN 30X112	1	1						
34	1	172A29-82450	PIN 25X161	1	1						
35	1	172498-82320	PIN 25X98 ASSY	1	1						
36	1	172141-84630	SHIM	1	1						
37	1	22217-100000	WASHER, SPRING 10	1	1						
38	1	22242-000350	RING, 35	1	1						
39	1	24761-050000	NIPPLE, GREASE C	1	1						
40	1	26116-100202	BOLT, M10X 20 PLATED	1	1						
41	1	26756-120002	NUT, LOCK M12	2	2						
42	1	933160-06711	SHIM ASSY	1	1						
46	1	933160-06711	SHIM ASSY	1	1						
50	1	172122-17190	CLIP, TREE	5	5						

N:Old $\overset{\text{Yes}}{\underset{\text{No}}{\rightleftarrows}}$ New, Q:Old $\overset{\text{No}}{\underset{\text{Yes}}{\rightleftarrows}}$ New, R:Old $\overset{\text{Yes}}{\underset{\text{Yes}}{\rightleftarrows}}$ New, S:Old $\overset{\text{No}}{\underset{\text{No}}{\rightleftarrows}}$ New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change


Copyright (C) YANMAR CO., LTD. All RightsReserved.


PREVIEW - YOUFIXTHIS.COM

Download full manual at youfixthis.com

~UP TO M/#11571

本機塗装色
PAINTED COLOR LIST





色区分 COLOR CODE	表示 DESCRIPTION	塗装色 マンセル記号 PAINTED COLOR MUNSEL No.	塗料部品番号 PAINT PART No.		
			16ℓ缶 16ℓCAN	4ℓ缶 4ℓCAN	スプレー SPRAY
87		ヤンマー新パーマネントイエロー YANMAR New Parmanent Yellow 5.2Y8.5/11	981101-09519	977620-40870	977620-30871
97		ヤンマーピーコックグリーン YANMAR Peacock Green 3.85BG5.31/9.15	981101-09597	977620-40970	977620-30971
88		ヤンマー新ディープグリーン YANMAR New Deep Green 0.6B2.2/4.2	981101-09588	977620-40880	977620-30881
72		ヤンマーダークオリーブグレー YANMAR Dark Olive Gray 5.39Y2.92/0.78	----------	977620-40720	TOR-90460003
11		ヤンマーレッド YANMAR Red 7.5R4/14	----------	977620-40010	TOR-90000003

PREVIEW - YOUFIXTHIS.COM
Download full manual at youfixthis.com

PREVIEW ONLY

You're viewing 12 of 114 pages

The full manual includes:

- All 114 pages, complete
- Searchable PDF (find any keyword)
- No watermarks
- Instant download
- Print-ready quality

GET FULL MANUAL NOW

Yanmar SV08-1 (JP), SV08-1 (EX), 2TE67L-BV Parts Catalog

Scan or click anywhere
youfixthis.com

Click anywhere on this page to get the full manual