YANMAR

PARTS CATALOG

0CK10-M37503EN

Last update Oct., 2015

PREVIEW - YOUFIXTHIS.COM

Download full manual at youfixthis.com

Contents

Fig. No. Fig. Name

VEHICLE VIO35-2(JP,FORESTRY,EX)

1. LABEL(CABIN)(JP)
2. LABEL(CANOPY)(JP)
3. LABEL(ROPS CANOPY)(JP)
4. LABEL(QUICK HITCH)(JP)
5. LABEL(FORESTRY)(JP)
6. LABEL(CABIN)(EX)
7. LABEL(CANOPY)(EX)
8. SAFETY LABEL(CABIN)(JP)
9. SAFETY LABEL(CANOPY)(JP)
10. SAFETY LABEL(ROPS CANOPY)(JP)
11. SAFETY LABLE(QUICK HITCH)(JP)
12. SAFETY LABEL(FORESTRY)(JP)
13. SAFETY LABEL(CABIN)(EX)
14. SAFETY LABEL(CANOPY)(EX)
15. ACCESSORY
16. SUCTION PIPE & EXHAUST PIPE
17. ACCELERATOR
18. ONE-TOUCH DECEL(OPTIONAL)
19. ENGINE MOUNT(STANDARD PREVIOUS, A/C SPEC.& ROPS CANOPY SPEC.)
20. ENGINE MOUNT(STANDARD NEW)
21. RADIATOR MOUNT(STANDARD PREVIOUS: 1 & A/C SPEC.)
22. RADIATOR MOUNT(STANDARD PREVIOUS: 2)
23. RADIATOR MOUNT(STANDARD NEW)
24. RADIATOR,OIL COOLER & SUB-TANK(STANDARD PREVIOSU: 1 & A/C SPEC.)

Fig. No. Fig. Name

25. RADIATOR,OIL COOLER & SUB-TANK(STANDARD PREVIOUS: 2)
26. RADIATOR,OIL COOLER & SUB-TANK(STANDARD NEW)
27. FUEL TANK
28. FUEL LINE
29. BATTERY
30. ELECTRIC PART(WIRING)(PREVIOUS)
31. ELECTRIC PART(WIRING)(NEW)
32. ELECTRIC PART(WIRING)(FORESTRY SPEC.)
33. ELECTRIC PART(EQUIPMENT)(CABIN)
34. ELECTRIC PART(EQUIPMENT)(A/C SPEC.)
35. ELECTRIC PART(EQUIPMENT)(CANOPY)
36. ELECTRIC PART(EQUIPMENT)(QUICK HITCH SPEC.)
37. ELECTRIC PART(EQUIPMENT)(FORESTRY SPEC.)
38. WORK LAMP
39. CANOPY LAMP
40. HEATER(CABIN)
41. HEATER(A/C SPEC.)
42. HEATER(CANOPY)(OPTIONAL)
43. RADIO(OPTIONAL)
44. AIR CONDITIONER(ENGINE RELATED)
45. AIR CONDITIONER(CONDENSER RELATED)
46. AIR CONDITIONER(CABIN RELATED)
47. AIR CONDITIONER(PIPING)
48. SPROCKET & ROLLER
49. IDLER & ADJUST


PREVIEW - YOUFIXTHIS.COM

Download full manual at youfixthis.com

Fig.113. CONTROL VALVE(BUCKET & BOOM 1)

(A)=VIO35-2C(JP)
(B)=VIO35-2P(JP)
(C)=VIO35F-2C(JP)
(D)=VIO35F-2P(JP)
(E)=VIO35-2C(EX)
(F)=VIO35-2P(EX)

コントロールバルブＡＳＳＹ
CONTROL VALVE ASSY
172459-74100
項目NO.113の見出しNO.1は、
項目NO.113の見出しNO.2～22と、
項目NO.114の見出しNO.1～28と、
項目NO.115の見出しNO.1～25と、
項目NO.116の見出しNO.1～30と、
項目NO.117の見出しNO.1～34と、
項目NO.118の見出しNO.1～25を含みます。
Fig.113 Ref.NO.1
INC.Fig.113 Ref.No.2～22.
INC.Fig.114 Ref.No.1～28.
INC.Fig.115 Ref.No.1～25.
INC.Fig.116 Ref.No.1～30.
INC.Fig.117 Ref.No.1～34.
INC.Fig.118 Ref.No.1～25.



No.	Lev.	Parts No.	Description	Q'ty (A)	(B)	(C)	(D)	(E)	(F)	I	R
1	1	172459-74100	VALVE ASSY,CONTROL	1	1	1	1	1	1		
2	2	172459-74230	SECTION, BOOM LOCK	1	1	1	1	1	1		
3	3	172459-74240	SECTION,BOOM LOCK	1	1	1	1	1	1		
4	3	172458-74710	VALVE, RELIEF	1	1	1	1	1	1		
5	2	172458-74720	O-RING	2	2	2	2	2	2		
6	2	172458-74730	BOLT L380	4	4	4	4	4	4		
7	2	172458-74860	SECTION, BUCKET	1	1	1	1	1	1		
8	3	172458-74610	SECTION ASSY, BUCKET	1	1	1	1	1	1		
9	4	172458-74150	VALVE, REVERSE	1	1	1	1	1	1		
10	4	172458-74160	SPRING, VALVE	1	1	1	1	1	1		
11	4	172458-74230	O-RING	2	2	2	2	2	2		
12	4	172458-74240	COVER, PILOT	1	1	1	1	1	1		
13	4	172458-74250	COVER, PILOT	1	1	1	1	1	1		
14	4	172458-74260	SWP HEX.BOLT 5X20	4	4	4	4	4	4		
15	4	172458-74620	SPOOL ASSY, BUCKET	1	1	1	1	1	1		
16	4	172458-74630	STAY, VALVE	1	1	1	1	1	1		
17	4	24315-000110	O-RING, 1BP11.0	1	1	1	1	1	1		
18	3	172458-74710	VALVE, RELIEF	2	2	2	2	2	2		
19	2	24311-000180	O-RING, 1AP18.0	2	2	2	2	2	2		
20	2	24315-000090	O-RING, 1BP9.0	1	1	1	1	1	1		
21	2	24315-000100	O-RING, 1BP10.0	1	1	1	1	1	1		
22	2	26716-080002	NUT, M8	4	4	4	4	4	4		
23	1	26013-100162	BOLT, M10X 16	3	3	3	3	3	3		

N:Old ⇔(Yes/No) New, Q:Old ⇔(No/Yes) New, R:Old ⇔(Yes/Yes) New, S:Old ⇔(No/No) New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change


Copyright (C) YANMAR CO., LTD. All RightsReserved.

PREVIEW - YOUFIXTHIS.COM

Download full manual at youfixthis.com

Fig.19. ENGINE MOUNT(STANDARD PREVIOUS, A/C SPEC.& ROPS CANOPY SPEC.)

(A)=VIO35-2C(JP)
(B)=VIO35-2P(JP)
(C)=VIO35F-2C(JP)
(D)=VIO35F-2P(JP)
(E)=VIO35-2C(EX)
(F)=VIO35-2P(EX)



No.	Lev.	Parts No.	Description	Q'ty (A)	(B)	(C)	(D)	(E)	(F)	I	R
1	1	196420-02310	ABSORBER, SHOCK 230	2	2	2	2	2	2		
2	1	172146-13101	BRACKET (73)	1	1	1	1	1	1		
3	1	172175-13100	BRACKET	1	1	1	1	1	1		
4	1	172458-13100	MOUNT,ENGINE	1	1	1	1	1	1		1
5	1	172458-13110	MOUNT,ENGINE	1	1	1	1	1	1		
6	1	172458-13120	BRACKET,ENGINE (73)	2	2	2	2	2	2		
7	1	172168-13150	BRACKET,ENGINE (73)	2	2	2	2	2	2		
8	1	172162-13200	BOLT M10X30	8	8	8	8	8	8		
9	1	172124-13230-4	STOPPER, ENGINE	4	4	4	4	4	4		
10	1	172168-13250	ABSORBER,SHOCK 180	2	2	2	2	2	2		
11	1	172137-46040	SEAT, SPRING	8	8	8	8	8	8		
12	1	22217-100000	WASHER, SPRING 10	8	8	8	8	8	8		
13	1	22217-120000	WASHER, SPRING 12	6	6	6	6	6	6		
14	1	22217-120000	WASHER, SPRING 12	4	4	4	4	4	4		
15	1	22217-120000	WASHER, SPRING 12	8	8	8	8	8	8		
16	1	22217-120000	WASHER, SPRING 12	4	4	4	4	4	4		
17	1	26013-100252	BOLT, M10X 25	8	8	8	8	8	8		
18	1	26076-120352	BOLT, 10.912X 35	4	4	4	4	4	4		
19	1	26076-120352	BOLT, 10.912X 35	4	4	4	4	4	4		
20	1	26076-120402	BOLT, 10.912X 40	3	3	3	3	3	3		
21	1	26716-120002	NUT, M12	8	8	8	8	8	8		
22	1	26076-120402	BOLT, 10.912X 40	3	3	3	3	3	3		1
23	1	172458-13170	MOUNT R ASSY	1							2
24	1	26076-120302	BOLT, 10.912X 30	3							2

Remarks
(1)NOT APPLIED FOR A/C SPEC.
(2)A/C SPEC.


N:Old ◄Yes/No► New, Q:Old ◄No/Yes► New, R:Old ◄Yes/Yes► New, S:Old ◄No/No► New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change

Copyright (C) YANMAR CO., LTD. All RightsReserved.

PREVIEW - YOUFIXTHIS.COM

Download full manual at youfixthis.com

Fig.87. CABIN(BODY)



(A)=VIO35-2C(JP) (D)=VIO35F-2P(JP)
(B)=VIO35-2P(JP) (E)=VIO35-2C(EX)
(C)=VIO35F-2C(JP) (F)=VIO35-2P(EX)

No.	Lev.	Parts No.	Description	Q'ty (A)	(B)	(C)	(D)	(E)	(F)	I	R
1	1	172165-13220	WASHER	13		13		13			
2	1	172312-17250	ASHTRAY	1		1		1			
3	1	172458-63360	SHEET	1		1		1			
4	1	172458-63480	SEAL, SPONGE	1		1		1			
5	1	172458-63580	SPACER	1		1		1			
6	1	172458-67800	CABIN ASSY	1							
6-1	1	172458-67801	CABIN ASSY	1		1		1		S	
	(A=M/#20668)										
6-2	1	172458-67802	CABIN ASSY	1		1		1		N	
	(A=M/#22334)		(C=M/#22334)	(E=M/#22334)							
7	2	172459-67800	CABIN BODY ASSY (83)	1		1		1			
8	3	172458-03320	LABEL	1		1		1			
9	3	172458-03330	LABEL	1		1		1			
10	3	1E5100-51430	KNOB CLUTCH(RED	1		1		1			
11	3	172519-63240	BOLT	6		6		6			
12	3	172455-67310	RUN, GLASS	2		2		2			
13	3	172455-67320	CAP, CHANNEL	2		2		2			
14	3	172455-67330	PLATE ASSY LOW GLASS	2		2		2			
15	3	172455-67340	HOLDER GLASS UP	2		2		2			
16	3	172455-67350	SCREW	4		4		4			
17	3	172455-67360	SCREW	2		2		2			
18	3	172455-67440	CLIP, TREE	4		4		4			
19	3	172458-67840	RUN, GLASS	1		1		1			
20	3	172458-67960	SEAL	1		1		1			
21	3	172458-67970	SEAL	1		1		1			
22	3	172458-67980	SEAL	1		1		1			
22-1	3	172458-67981	SEAL	1		1		1		S	1
	(A=M/#25749)		(C=M/#25749)	(E=M/#25749)							
23	3	172458-03310	LABEL	1		1		1			
24	3	172162-69050	LOCK ASSY	1		1		1			
25	3	172165-69190	RUBBER, STOPPER	1		1		1			
26	3	172458-69790	COVER ASSY	1		1		1			
27	3	172458-69830	LEVER	1		1		1			
28	3	172458-69930	SEAL, DOOR	1		1		1			
29	3	22117-100000	WASHER, 10	1		1		1			
30	3	22117-120000	WASHER, 12	2		2		2			
31	3	22272-000100	RING, E-10	1		1		1			
32	3	24550-012200	BUSH, 12X20	1		1		1			
33	3	26366-080002	NUT, M8	4		4		4			
34	3	26716-100002	NUT, M10	1		1		1			
37	1	22217-120000	WASHER, SPRING 12	13		13		13			
38	1	22867-400100	SCREW, 4X10	3		3		3			
39	1	26076-120402	BOLT, 10.912X 40	13		13		13			


Remarks
(1)L=REF.NO.22:1100MM,NO.22-1:1200MM.

N:Old ⇔ New, Q:Old ⇔ New, R:Old ⇔ New, S:Old ⇔ New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change

Copyright (C) YANMAR CO., LTD. All RightsReserved.

PREVIEW - YOUFIXTHIS.COM
Download full manual at youfixthis.com

Fig.67. TRACK FRAME & TURNING BEARING



(A)=VIO35-2C(JP) (D)=VIO35F-2P(JP)
(B)=VIO35-2P(JP) (E)=VIO35-2C(EX)
(C)=VIO35F-2C(JP) (F)=VIO35-2P(EX)

No.	Lev.	Parts No.	Description	Q'ty (A)	(B)	(C)	(D)	(E)	(F)	I	R
1	1	172458-50100	FRAME,LOWER(GREEN:88	1	1						
1-1	1	172458-50101	FRAME,LOWER(GREEN:88	1	1	1	1	1	1	N	
	(A=M/#22032)	(B=M/#22032)									
1-2	1	172458-50102	FRAME,LOWER(GREEN:88	1	1	1	1	1	1	F	2
	(A=M/#25502)	(B=M/#25502)	(C=M/#25502) (D=M/#25502)	(E=M/#25502)			(F=M/#25502)				
2	1	172141-50890	GROMMET	2	2	2	2	2	2		
2-1	1	172458-50480	COVER, FRAME	2	2	2	2	2	2	S	2
	(A=M/#25502)	(B=M/#25502)	(C=M/#25502) (D=M/#25502)	(E=M/#25502)			(F=M/#25502)				
3	1	172730-05250	WASHER 12	12	12	12	12	12	12		1
4	1	172458-50800	PLATE,GUARD L (88)	2	2	2	2	2	2		1
5	1	172458-50810	PLATE,GUARD R (88)	2	2	2	2	2	2		1
6	1	26013-120252	BOLT, M12X 25	12	12	12	12	12	12		1
7	1	172458-57600	BEARING,TURNING (88)	1	1	1	1	1	1		
8	2	172142-57610	SEAL SET	1	1	1	1	1	1		
9	3	172122-57630	SEAL, SWING	1	1	1	1	1	1		
10	3	172122-57640	SEAL, SWING	1	1	1	1	1	1		
11	1	172122-57610	BOLT	32	32	32	32	32	32		
12	1	172122-57620	PARALLEL PIN 13X36	4	4	4	4	4	4		
13	1	26106-100162	BOLT, M10X 16 PLATED	4	4	4	4	4	4	W	2
	(A=M/#25502)	(B=M/#25502)	(C=M/#25502) (D=M/#25502)	(E=M/#25502)			(F=M/#25502)				
13-1	1	26106-100122	BOLT, M10X 12 PLATED	4	4	4	4	4	4	N	2
	(A=M/#25501)	(B=M/#25501)	(C=M/#25501) (D=M/#25501)	(E=M/#25501)			(F=M/#25501)				

Remarks
(1)IRON CRAWLER SPEC.
(2)INTERCHANGEABLE BY SIMULTANEOUS REPLACEMENT.


N:Old $\overset{\text{Yes}}{\underset{\text{No}}{\leftrightarrows}}$ New, Q:Old $\overset{\text{No}}{\underset{\text{Yes}}{\leftrightarrows}}$ New, R:Old $\overset{\text{Yes}}{\underset{\text{Yes}}{\leftrightarrows}}$ New, S:Old $\overset{\text{No}}{\underset{\text{No}}{\leftrightarrows}}$ New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change

Copyright (C) YANMAR CO., LTD. All RightsReserved.

PREVIEW - YOUFIXTHIS.COM

Download full manual at youfixthis.com

Fig.151. BOOM



(A)=VIO35-2C(JP)
(B)=VIO35-2P(JP)
(C)=VIO35F-2C(JP)
(D)=VIO35F-2P(JP)
(E)=VIO35-2C(EX)
(F)=VIO35-2P(EX)

No.	Lev.	Parts No.	Description	Q'ty (A)	(B)	(C)	(D)	(E)	(F)	I	R
1	1	172459-81102	BOOM (GREEN:97)	1	1						
1-1	1	172459-81103	BOOM ASSY (GREEN:97)	1	1			1	1	R	
	(A=M/#20725)		(B=M/#20725)								
1-2	1	172459-81104	BOOM ASSY (GREEN:97)	1	1			1	1	S	1
	(A=M/#25501)		(B=M/#25501)					(E=M/#25501)	(F=M/#25501)		
2	2	172162-81050	SEAL, DUST 60X75X6	4	4			4	4		
2-1	2	172020-10620	SEAL, DUST	4	4			4	4	R	
	(A=M/#22500)		(B=M/#22500)					(E=M/#22500)	(F=M/#22500)		
3	2	172458-81400	BUSH 60X75X50	2	2			2	2		
4	1	172183-81170	CLIP, TREE	5	5			5	5		
5	1	172458-71750	CLAMP, PIPE	1	1						
5-1	1	172458-81751	CLAMP, PIPE	1	1			1	1	N	
	(A=M/#20556)		(B=M/#20556)								
6	1	172459-81451	PIPE ASSY, PTO	1	1			1	1		
7	1	172164-81670	SPACER	2	2			2	2		
8	1	172458-81700	GUIDE, HOSE	1	1					Z	
	(A=M/#20556)		(B=M/#20556)								
9	1	172458-81840	PIN 50X209 ASSY	1	1			1	1		
10	1	172165-82520	SHIM	3	3			3	3		
11	1	172165-82530	SHIM	3	3			3	3		
12	1	172165-82540	SHIM, 50X85X1.6	3	3			3	3	Z	
	(A=M/#25501)		(B=M/#25501)					(E=M/#25501)	(F=M/#25501)		
13	1	172146-82910	SPACER	1	1			1	1		
14	1	172444-82990	WASHER	1	1			1	1		
15	1	172458-83650	PIN 50X153 ASSY	2	2			2	2		
16	1	22157-120000	WASHER, 12	2	2			2	2		
17	1	24761-050000	NIPPLE, GREASE C	2	2			2	2		
18	1	26013-080162	BOLT, M8X 16	2	2						
18-1	1	26014-080162	BOLT, M8X 16	2	2			2	2	N	
	(A=M/#20517)		(B=M/#20517)								
19	1	26013-120252	BOLT, M12X 25	4	4			4	4		
20	1	26014-080202	BOLT, M8X 20	2	2					Z	
	(A=M/#20556)		(B=M/#20556)								

Remarks
(1)H=REF.NO.1,1-1:24.5MM,
REF.NO.1-2:30MM.


N:Old $\overset{\text{Yes}}{\underset{\text{No}}{\leftrightarrows}}$ New, Q:Old $\overset{\text{No}}{\underset{\text{Yes}}{\leftrightarrows}}$ New, R:Old $\overset{\text{Yes}}{\underset{\text{Yes}}{\leftrightarrows}}$ New, S:Old $\overset{\text{No}}{\underset{\text{No}}{\leftrightarrows}}$ New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change

Copyright (C) YANMAR CO., LTD. All RightsReserved.

PREVIEW: YOUFIXTHIS.COM

Download full manual at youfixthis.com

Fig.1. LABEL(CABIN)(JP)



Remarks
(1)4-WAY MULTI CHANGE SPEC.
(2)RUBBER CRAWLER SPEC.
(3)P.T.O. SPEC.
(4)2-WAY MULTI CHANGE SPEC.
(5)A/C SPEC.
(M)MISPRINT.

(A)=VIO35-2C(JP) (D)=VIO35F-2P(JP)
(B)=VIO35-2P(JP) (E)=VIO35-2C(EX)
(C)=VIO35F-2C(JP) (F)=VIO35-2P(EX)

No.	Lev.	Parts No.	Description	Q'ty (A)	(B)	(C)	(D)	(E)	(F)	I	R
1	1	772459-03120	LABEL SET,VIO35-2(C)	1							
1-1	1	772459-03121	LABEL SET,VIO35-2(C)	1						N	
	(A=M/#20551)										
1-2	1	772459-03122	LABEL SET (VIO35-2 C	1		1				N	
	(A=M/#22192)										
1-3	1	772459-03123	LABEL SET,VIO35-2(C)	1		1				N	
	(A=M/#22291)		(C=M/#22291)								
2	2	172459-03110	LABEL,SPECIFICATION	1		1					
2-1	2	172459-03111	LABEL	1		1				N	
	(A=M/#22291)		(C=M/#22291)								
3	2	172458-03120	LABEL,OIL & WATER	1		1					
4	2	172157-03130	LABEL, GREASE	1		1					
5	2	172458-03130	LABEL,GREASE FEED	1		1					
6	2	172459-03150	LABEL(MODEL	2		2					
7	2	172458-03160	LABEL, REAR	1		1					
8	2	172444-03170	LABEL	1		1					
9	2	172444-03180	LABEL	2		2					
9-1	2	172444-03181	LABEL	2		2				N	
	(A=M/#25711)		(C=M/#25711)								
10	2	172458-03180	LABEL,LIFT POSITION	1							
10-1	2	172458-03181	LABEL, LIFTING	1		1				N	
	(A=M/#20725)										
11	2	172444-03190	LABEL	1		1					
12	2	172458-03190	LABEL,OILING	1		1					
13	2	172141-03202	LABEL,CAUTION	1		1					
14	2	172450-03200	LABEL,BATTERY	1		1					
15	2	172458-03200	LABEL,FAN	1		1					
16	2	172147-03210	LABEL,2 SPEED	1		1				Z	
	(A=M/#25501)		(C=M/#25501)								
17	2	172444-03210	LABEL	1		1					
18	2	172458-03210	LABEL,BELT	1		1					
19	2	172458-03220	LABEL,ACCELERATOR	1		1					
20	2	172458-03230	LABEL,FUSE	1		1					
20-1	2	172458-03231	LABEL, HUSE	1		1				N	
	(A=M/#25572)		(C=M/#25572)								
21	2	172444-03240	LABEL	1		1					
22	2	172183-03250	LABEL,FUEL	1		1					
23	2	172171-03261	LABEL,BOOM	1		1					
24	2	172444-03280	LABEL	2		2					
25	2	172142-03302	LABEL,CAUTION	1		1					
26	2	172455-03340	LABEL	1		1					
27	2	172141-03360	LABEL, START SWITCH	1		1					
28	2	172964-03370	LABEL	1		1					
29	2	172964-03481	TAG ASSY, CAUTION	1		1					
32	2	172164-03510	LABEL,LOADING	1		1					
33	2	172437-03510	LABEL,HOOK	3		3					
34	2	172164-03540	LABEL	1		1					
35	2	172519-04180	LABEL,WARNING	1		1					
36	2	172519-04290	LABEL,WARNING	1		1					
37	2	121470-44540	LABEL, SUB-TANK	1		1					
38	2	172183-03280	LABEL,LOCK	1		1					

N:Old ⇔(Yes/No) New, Q:Old ⇔(No/Yes) New, R:Old ⇔(Yes/Yes) New, S:Old ⇔(No/No) New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change


++ CONTINUE ++

Copyright (C) YANMAR CO., LTD. All RightsReserved.

Download full manual at youfixthis.com

PREVIEW - YOUFIXTHIS.COM

絵目次（１）・・・・・・・主要部品
PICTURESQUE INDEX(1)・・・MAIN PARTS



吸気管 & 排気管 Fig.16
SUCTION PIPE & EXHAUST PIPE
エンジンマウント Fig.19,20
ENGINE MOUNT
ラジエータ Fig.21～26
RADIATOR
燃料タンク Fig.27
FUEL TANK
燃料パイプ Fig.28
FUEL LINE
バッテリ Fig.29
BATTERY
ボンネット Fig.84～86
BONNET
作動油タンク Fig.125～127
HYD.OIL TANK

ヒータ Fig.40～42
HEATER
ラジオ Fig.43
RADIO
エアコン Fig.44～47
AIR CONDITIONER
キャビン Fig.87～93
CABIN
キャノピ Fig.94～96
CANOPY

銘板 Fig.1～7
LABEL
安全銘板 Fig.8～14
SAFETY LABEL
付属品 Fig.15
ACCESSORY
改装用オプション
Fig.165～173
KIT PART OF REMODEL

ブーム Fig.151,152
BOOM
キャノピランプ Fig.39
CANOPY LAMP
油圧配管 Fig.128～144
HYD.OIL PIPING
ブームシリンダ Fig.99,100
BOOM CYLINDER
ワークランプ Fig.38
WORK LAMP
アームシリンダ Fig.101
ARM CYLINDER
バケットシリンダ Fig.102,103
BUCKET CYLINDER
アーム Fig.153～156
ARM
バケット Fig.159,160
BUCKET

操縦装置 Fig.51～62
CONTROL EQUIPMENT
インパネ Fig.77
INSTRUMENT PANEL
リモコンバルブ Fig.122,123
REMOTE CONTROL VALVE
コントロール配管 Fig.145～148
CONTROL PIPING
シート & シート
マウント Fig.78～83
SEAT & SEAT MOUNT
アクセル Fig.17
ACCELERATOR
ワンタッチデセル Fig.18
ONE TOUCH DECEL
走行モータ Fig.108
TRAVEL MOTOR

スプロケット & ローラ Fig.48
SPROCKET & ROLLER
アイドラ & アジャスト Fig.49
IDLER & ADJUST
クローラ Fig.50
CRAWLER
走行フレーム & 旋回ベアリング Fig.67
TRACK FRAME & TURNING BEARING


ヒッチシリンダ Fig.106
HITCH CYLINDER
スイングシリンダ Fig.104
SWING CYLINDER
ブレード Fig.164
BLADE
バケットアーム & リンク Fig.157
BUCKET ARM & LINK
クイックヒッチ Fig.158
QUICK HITCH
ブームブラケット Fig.150
BOOM BRACKET
ブレードシリンダ Fig.105
BLADE CYLINDER

旋回ピニオン & 旋回ベアリング Fig.68
TURNING PINON & TRUNING BEARING
グラップルシリンダ Fig.107
GRAPPLE CYLINDER
旋回モータ Fig.110
TURNING MOTOR
スイベルジョイント Fig.112
SWIVEL JOINT
ターンテーブル Fig.161,162
TURNING TABLE
ウインチ Fig.163
WINCH

電装品 Fig.30～37
ELECTRIC PART
コントロールバルブ台 Fig.63
CONTROL VALVE PLATE
バルブ台 Fig.64
VALVE PLATE
旋回フレーム Fig.65,66
TURNING FRAME
カバー Fig.69～74
COVER
ステップ Fig.75,76
STEP
油圧ポンプ & 軸継手 Fig.97,98
HYD.OIL PUMP & JOINT
旋回モータ Fig.109,177
TURNING MOTOR
スイベルジョイント Fig.111
SWIVEL JOINT
コントロールバルブ Fig.113～118
CONTROL VALVE
ローハイバルブ Fig.119
LOW-HIGH VALVE
バルブ Fig.120,121
VALVE
ロータリバルブ Fig.124
ROTARY VALVE
遠隔グリーシング Fig.149
GREASING

PREVIEW ONLY
Download full manual at youfixthis.com

Fig.46. AIR CONDITIONER(CABIN RELATED)



(A)=VIO35-2C(JP)
(B)=VIO35-2P(JP)
(C)=VIO35F-2C(JP)
(D)=VIO35F-2P(JP)
(E)=VIO35-2C(EX)
(F)=VIO35-2P(EX)

No.	Lev.	Parts No.	Description	Q'ty (A)	(B)	(C)	(D)	(E)	(F)	I	R
1	1	172122-13310	MOUNT, RADIATOR	4							
2	1	172631-16350	ROD,BATTERY CLAMP	2							
3	1	172460-17650	CLAMP ASSY	1							
6	1	172458-17700	GRILLE	1							
7	1	172460-18010	COVER ASSY, HOSE	1							
8	2	172183-05330	TRIM	1							
10	2	172460-18110	TRIM	1							
11	2	172458-63600	SEAL, SPONGE	1							
12	1	172460-18130	UNIT	1							
13	1	172460-18140	CONDITIONER, AIR	1							
14	1	172460-18150	PLUG	1							
15	1	172460-18170	DUCT ASSY, FAN	1							
19	1	172460-18180	BRACKET F	1							
23	1	172460-18240	PLATE R ASSY	1							
25	2	172460-19060	RUBBER, SEAL	1							
26	2	172460-19170	TRIM	1							
27	2	172460-19180	TRIM	1							
33	2	172434-61170	TRIM	1							
34	2	172175-61430	TRIM	1							
35	1	172460-18260	CABLE	1							
36	1	172460-18270	CABLE, VALVE	1							
37	1	172460-18530	BRACKET G	1							
38	1	172460-18650	BRACKET	1							
38-1	1	172460-18651	BRACKET J ASSY	1						N	
	(A=M/#25621)										
39	1	172460-18670	PLATE P	1							
40	1	172460-18800	PLATE B	1							
41	1	172460-19110	SEAL	1							
42	1	172460-19120	SEAL	1							
43	1	172460-19190	SHEET, INSULATOR	1							
44	1	172460-19210	SPONGE	1							
45	1	172460-19320	SPONGE, GRILLE	1							
46	1	172460-19330	SHEET, INSULATOR	1							
47	1	172186-45840	BOLT, BUTTON	4							
48	1	172519-63240	BOLT	3							
49	1	1E8385-79310	WASHER, 8	3							
50	1	1E8685-79910	PANEL, AC CONTROL	1							
50-1	1	1E8685-79911	PANEL, AC CONTROL	1						N	
	(A=M/#25501)										
51	1	1E8685-79920	VALVE,WATER	1							
52	1	1E8685-79940	RESISTOR, 100-40	1							
53	1	22117-080000	WASHER, 8	3							
54	1	22137-060000	WASHER, 6	2							
55	1	22217-080000	WASHER, SPRING 8	8							
56	1	22857-400161	SCREW, 4X16	2							
57	1	22877-500161	SCREW, 5X16	8							
58	1	26013-080162	BOLT, M8X 16	2							
59	1	26013-080162	BOLT, M8X 16	2							
60	1	26013-080162	BOLT, M8X 16	2							
61	1	26013-080202	BOLT, M8X 20	2							
62	1	26013-100162	BOLT, M10X 16	4							

N:Old ⇄(Yes/No) New, Q:Old ⇄(No/Yes) New, R:Old ⇄(Yes/Yes) New, S:Old ⇄(No/No) New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change


++ CONTINUE ++

Copyright (C) YANMAR CO., LTD. All RightsReserved.

Download full manual at youfixthis.com

PREVIEW - YOUFIXTHIS.COM

Fig.93. CABIN DOOR(REAR)



(A)=VIO35-2C(JP)
(B)=VIO35-2P(JP)
(C)=VIO35F-2C(JP)
(D)=VIO35F-2P(JP)
(E)=VIO35-2C(EX)
(F)=VIO35-2P(EX)

No.	Lev.	Parts No.	Description	Q'ty (A)	(B)	(C)	(D)	(E)	(F)	I	R
1	3	172459-67840	DOOR ASSY	1		1		1			
1-1	3	172459-67841	DOOR ASSY	1		1		1		S	
	(A=M/#22334)		(C=M/#22334)	(E=M/#22334)							
2	4	172458-69590	TRIM ASSY	1		1		1			
3	4	172458-69600	FRAME ASSY,DOOR REAR	1		1		1			
3-1	4	172458-69601	FRAME,DOOR REAR (12)	1		1		1		S	
	(A=M/#22334)		(C=M/#22334)	(E=M/#22334)							
4	4	172458-69920	GLASS, DOOR	1		1		1			
5	4	172519-63240	BOLT	2		2		2			
6	4	172455-69140	NUT, CAP	12		12		12			
7	4	172455-69200	TUBE	12		12		12			
8	4	172455-69250	PIPE	12		12		12			
9	4	172455-69290	PACKING	4		4		4			
10	4	172458-69730	PLATE	1		1		1			
11	4	172458-69760	GUIDE, STOPPER	1		1		1			
12	4	172458-69770	HINGE	2		2		2			
13	4	172458-69960	GASKET	8		8		8			
14	4	172458-69990	COVER	2		2		2			
15	4	22137-080000	WASHER, 8	2		2		2			
16	4	22372-080000	PIN, SNAP 8	2							
16-1	4	22417-200160	PIN, COTTER 2.0X16	2		2		2		N	
	(A=M/#22181)										
17	4	172458-66780	UPPER PLATE,DOOR REA	1		1		1		W	
	(A=M/#22334)		(C=M/#22334)	(E=M/#22334)							
18	4	172458-66790	LOWER PLATE,DOOR REA	1		1		1		W	
	(A=M/#22334)		(C=M/#22334)	(E=M/#22334)							
19	4	172458-66800	SCREW	4		4		4		W	
	(A=M/#22334)		(C=M/#22334)	(E=M/#22334)							
20	4	172458-66800	SCREW	3		3		3		W	
	(A=M/#22334)		(C=M/#22334)	(E=M/#22334)							

N:Old New, Q:Old New, R:Old New, S:Old New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change


Copyright (C) YANMAR CO., LTD. All RightsReserved.

PREVIEW ONLY YOUFIXTHIS.COM

Download full manual at youfixthis.com

Fig.146. CONTROL PIPING(REMOTE CONTROL V. - CONTROL V.: STANDARD SPEC.)

(A)=VIO35-2C(JP)
(B)=VIO35-2P(JP)
(C)=VIO35F-2C(JP)
(D)=VIO35F-2P(JP)
(E)=VIO35-2C(EX)
(F)=VIO35-2P(EX)



No.	Lev.	Parts No.	Description	Q'ty (A)	(B)	(C)	(D)	(E)	(F)	I	R
1	1	172123-76121	ADAPTER	8	8	8	8	8	8		
2	1	172141-76180	CONNECTOR ASSY	2	2	2	2	2	2		
3	2	24315-000110	O-RING, 1BP11.0	2	2	2	2	2	2		
4	1	24315-000110	O-RING, 1BP11.0	8	8	8	8	8	8		
5	1	172458-78330	HOSE	1	1	1	1	1	1		
6	1	172458-78340	HOSE	1	1	1	1	1	1		
7	1	172458-78350	HOSE	1	1	1	1	1	1		
8	1	172458-78360	HOSE	1	1	1	1	1	1		
9	1	172458-78390	HOSE	1	1	1	1	1	1		
10	1	172458-78400	HOSE	1	1	1	1	1	1		
11	1	172458-78410	HOSE	1	1	1	1	1	1		
12	1	172458-78420	HOSE	1	1	1	1	1	1		
13	1	172458-78570	SPONGE, HOSE	1	1	1	1	1	1		
14	1	172444-78800	SPONGE, HOSE	1	1	1	1	1	1		
15	1	172122-79930	CLAMP, HOSE	4	4	4	4	4	4		
16	1	172123-76121	ADAPTER	1	1	1	1	1	1		
17	1	24315-000110	O-RING, 1BP11.0	1	1	1	1	1	1		
18	1	172123-76121	ADAPTER	1	1	1	1	1	1		
19	1	24315-000110	O-RING, 1BP11.0	1	1	1	1	1	1		
20	1	24315-000110	O-RING, 1BP11.0	1	1	1	1	1	1		
21	1	172183-76200	CONNECTOR	1	1	1	1	1	1		
22	1	172126-11510	BAND 300	4	4	4	4	4	4		

N:Old $\overset{\text{Yes}}{\underset{\text{No}}{\rightleftarrows}}$ New, Q:Old $\overset{\text{No}}{\underset{\text{Yes}}{\rightleftarrows}}$ New, R:Old $\overset{\text{Yes}}{\underset{\text{Yes}}{\rightleftarrows}}$ New, S:Old $\overset{\text{No}}{\underset{\text{No}}{\rightleftarrows}}$ New, W:Add, Z:Discontinued, F:Interchangeable by set, K:Q'ty Change

Copyright (C) YANMAR CO., LTD. All RightsReserved.

PREVIEW - YOUFIXTHIS.COM

Download full manual at youfixthis.com

PREVIEW ONLY

You're viewing 12 of 252 pages

The full manual includes:

- All 252 pages, complete
- Searchable PDF (find any keyword)
- No watermarks
- Instant download
- Print-ready quality

GET FULL MANUAL NOW

Yanmar Vio35-2C, Vio35-2P, Vio35F-2C, Vio35F-2P Parts Catalog

Scan or click anywhere
youfixthis.com

Click anywhere on this page to get the full manual